

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|-----------------|------------------|---------|------------------|
| S1 | 2 | @ad<="20031029" coupling near2 impedance frequency near2 range | US-PGPUB; USPAT | AND | OFF | 2007/04/16 10:37 |
| S2 | 3 | @ad<="20031029" coupling with impedance frequency near2 range | US-PGPUB; USPAT | AND | OFF | 2007/09/10 10:59 |
| S3 | 0 | @ad<="20031029" coupling with impedance frequency with range fdma | US-PGPUB; USPAT | AND | OFF | 2007/04/18 08:13 |
| S4 | 24 | @ad<="20031029" coupling with impedance fdma | US-PGPUB; USPAT | AND | OFF | 2007/04/16 08:38 |
| S5 | 24 | @ad<="20031029" coupling with impedance fdma | US-PGPUB; USPAT | AND | OFF | 2007/04/16 08:40 |
| S6 | 23 | @ad<="20031029" coupling with impedance fdma frequency | US-PGPUB; USPAT | AND | OFF | 2007/04/16 08:41 |
| S7 | 1 | @ad<="20031029" coupling with impedance fdma frequency differential near amplifier | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:11 |
| S8 | 2 | @ad<="20031029" coupling with impedance fdma frequency differential near5 amplifier | US-PGPUB; USPAT | AND | OFF | 2007/04/18 08:20 |
| S9 | 1223 | @ad<="20031029" coupling with impedance frequency differential near5 amplifier | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:31 |
| S10 | 16 | @ad<="20031029" coupling with impedance frequency adj2 multiplexing differential near5 amplifier | US-PGPUB; USPAT | AND | OFF | 2007/04/18 07:43 |
| S11 | 20 | @ad<="20031029" dsl impedance frequency adj2 multiplexing differential near5 amplifier | US-PGPUB; USPAT | AND | OFF | 2007/04/16 10:12 |
| S12 | 3 | @ad<="20031029" dsl impedance frequency adj2 multiplexing differential near5 amplifier 379/401-405,399.01,414.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/04/16 10:12 |
| S13 | 0 | @ad<="20031029" coupling near2 impedance frequency near2 range 375/258,259,268,269.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/04/16 10:37 |
| S14 | 57 | @ad<="20031029" (coupling or load) near3 impedance adsl low near frequency | US-PGPUB; USPAT | AND | OFF | 2007/04/18 08:20 |
| S15 | 26 | S14 transformer | US-PGPUB; USPAT | AND | OFF | 2007/04/18 07:56 |
| S16 | 0 | @ad<="20031029" coupling with impedance frequency with range fdma 379/402-405,391.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/04/18 08:13 |

EAST Search History

| | | | | | | |
|-----|------|---|--------------------|-----|-----|------------------|
| S17 | 10 | verbist-rudi.in. | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:11 |
| S18 | 5 | verbist-rudi.in. @ad<="20030626" | US-PGPUB; USPAT | AND | OFF | 2007/04/18 08:14 |
| S19 | 0 | ((coupling or load) near3 impedance adsl low near frequency).CLM. | US-PGPUB; USPAT | AND | OFF | 2007/04/18 08:20 |
| S20 | 0 | (coupling with impedance fdma frequency differential near5 amplifier). CLM. | US-PGPUB; USPAT | AND | OFF | 2007/04/18 08:20 |
| S21 | 509 | @ad<="20031029" coupling near3 impedance frequency differential near5 amplifier | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:01 |
| S22 | 154 | @ad<="20031029" coupling adj2 impedance frequency differential near5 amplifier | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:01 |
| S23 | 146 | @ad<="20031029" coupling adj2 impedance frequency differential near2 amplifier | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:01 |
| S24 | 144 | @ad<="20031029" coupling adj2 impedance frequency differential near2 amplifier voltage | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:01 |
| S25 | 138 | @ad<="20031029" coupling adj2 impedance frequency differential near2 amplifier voltage current | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:01 |
| S26 | 53 | @ad<="20031029" coupling adj2 impedance frequency near2 range differential near2 amplifier voltage current | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:02 |
| S27 | 53 | @ad<="20031029" coupling adj2 impedance frequency near2 rang\$2 differential near2 amplifier voltage current | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:21 |
| S28 | 63 | @ad<="20031029" coupling adj2 impedance frequency with rang\$2 differential near2 amplifier voltage current | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:12 |
| S29 | 1 | @ad<="20031029" coupling near3 impedance fdma frequency differential near amplifier | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:11 |
| S30 | 1 | @ad<="20031029" coupling with impedance fdma frequency differential near amplifier | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:11 |
| S31 | 1 | @ad<="20031029" coupling with impedance fdma differential near amplifier | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:11 |
| S32 | 1296 | @ad<="20031029" coupling with impedance differential near amplifier | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:11 |

EAST Search History

| | | | | | | |
|-----|-----|---|-----------------|-----|-----|------------------|
| S33 | 164 | @ad<="20031029" coupling adj2 impedance differential near amplifier | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:11 |
| S34 | 0 | verbist-r.in. | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:11 |
| S35 | 10 | verbist-r\$.in. | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:11 |
| S36 | 63 | @ad<="20031029" coupling adj2 impedance frequency with rang\$2 differential near2 amplifier current | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:12 |
| S37 | 59 | @ad<="20031029" coupling adj2 impedance frequency with rang\$2 differential adj amplifier current | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:12 |
| S38 | 49 | @ad<="20031029" coupling adj2 impedance frequency near2 rang\$2 differential adj amplifier current | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:26 |
| S39 | 2 | @ad<="20031029" "370"/\$.ccls. coupling adj2 impedance frequency near2 rang\$2 differential adj amplifier current | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:20 |
| S40 | 2 | @ad<="20031029" "379"/\$.ccls. coupling adj2 impedance frequency near2 rang\$2 differential adj amplifier current | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:20 |
| S41 | 8 | @ad<="20031029" "455"/\$.ccls. coupling adj2 impedance frequency near2 rang\$2 differential adj amplifier current | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:20 |
| S42 | 0 | @ad<="20031029" coupling adj2 impedance frequency near2 rang\$2 differential near2 amplifier voltage current 379\$/.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:23 |
| S43 | 0 | @ad<="20031029" coupling adj2 impedance frequency near2 rang\$2 differential near2 amplifier voltage current 455\$/.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:23 |
| S44 | 8 | @ad<="20031029" coupling adj2 impedance frequency near2 rang\$2 differential near2 amplifier voltage current "455"/\$.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:23 |
| S45 | 2 | @ad<="20031029" coupling adj2 impedance frequency near2 rang\$2 differential near2 amplifier voltage current "379"/\$.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:26 |
| S46 | 2 | @ad<="20031029" coupling adj2 impedance frequency near2 rang\$2 differential near2 amplifier voltage current "370"/\$.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:27 |

EAST Search History

| | | | | | | |
|-----|-----|---|-----------------|-----|-----|------------------|
| S47 | 8 | @ad<="20031029" coupling adj2 impedance frequency near2 rang\$2 differential near2 amplifier voltage current "455"/\$.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:26 |
| S48 | 4 | @ad<="20031029" coupling adj2 impedance frequency near2 rang\$2 differential near2 amplifier voltage current "375"/\$.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:27 |
| S49 | 143 | @ad<="20031029" impedance frequency near2 rang\$2 differential near2 amplifier voltage current "375"/\$.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:27 |
| S50 | 110 | @ad<="20031029" impedance frequency near2 rang\$2 differential near2 amplifier voltage current "379"/\$.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:27 |
| S51 | 3 | @ad<="20031029" coupling with impedance frequency differential near5 amplifier complex near2 conjugate | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:31 |
| S52 | 0 | @ad<="20031029" coupling with impedance frequency differential near5 amplifier complex near2 conjugate high near3 filter | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:31 |
| S53 | 1 | @ad<="20031029" coupling with impedance frequency differential near5 amplifier complex near2 conjugate filter | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:32 |
| S54 | 1 | @ad<="20031029" coupling with impedance frequency differential near5 amplifier complex with conjugate filter | US-PGPUB; USPAT | AND | OFF | 2007/04/23 08:32 |
| S55 | 1 | "5528630".pn. | US-PGPUB; USPAT | AND | OFF | 2007/09/04 11:12 |
| S56 | 1 | "6681012".pn. | US-PGPUB; USPAT | AND | OFF | 2007/09/04 11:12 |
| S57 | 1 | "6792104".pn. | US-PGPUB; USPAT | AND | OFF | 2007/09/04 11:13 |
| S58 | 1 | "6925172".pn. | US-PGPUB; USPAT | AND | OFF | 2007/09/04 11:13 |
| S59 | 0 | @ad<="20031029" coupling with impedance frequency near2 range 379/399.01,390.04,391.394,398,403. ccls. | US-PGPUB; USPAT | AND | OFF | 2007/09/04 11:19 |
| S60 | 0 | @ad<="20031029" coupling with impedance frequency near2 range 375/258.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/09/04 11:19 |

EAST Search History

| | | | | | | |
|-----|-----|---|-----------------|-----|-----|------------------|
| S61 | 0 | @ad<="20031029" coupling with impedance frequency near2 range 330/167,189,196.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/09/04 11:19 |
| S62 | 258 | @ad<="20031029" coupling impedance 333/126 | US-PGPUB; USPAT | AND | OFF | 2007/09/10 10:59 |
| S63 | 0 | @ad<="20031029" coupling with impedance voltage current333/126 | US-PGPUB; USPAT | AND | OFF | 2007/09/10 10:59 |
| S64 | 10 | @ad<="20031029" coupling with impedance voltage current 333/126. ccls. | US-PGPUB; USPAT | AND | OFF | 2007/09/10 11:34 |
| S65 | 18 | @ad<="20031029" coupling impedance voltage current 333/126. ccls. | US-PGPUB; USPAT | AND | OFF | 2007/09/10 11:35 |
| S66 | 48 | @ad<="20031029" coupling impedance voltage current 333/126, 124.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/09/10 11:35 |
| S67 | 34 | @ad<="20031029" coupling impedance voltage current filter\$2 333/126,124.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/09/10 11:36 |
| S68 | 35 | @ad<="20031029" coupling same impedance voltage current 333/126, 124.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/09/10 11:37 |
| S69 | 54 | @ad<="20031029" coupling same impedance voltage current 455/73,80, 81,82.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/09/10 12:08 |
| S70 | 18 | @ad<="20031029" coupling same impedance voltage current 455/280, 281,282.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/09/10 12:08 |
| S71 | 10 | @ad<="20031029" mismatch with impedance voltage current 455/73,80, 81,82.ccls. | US-PGPUB; USPAT | AND | OFF | 2007/09/10 12:08 |